



सत्यमेव जयते

. 30]

NEW DELHI, SATURDAY, AUGUST 1, 1953

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th July, 1953

CHOLERA SMALLPOX PLAGUE CHOLERA SMALLPOX PLAGUE

C. D. C. D. C. D. C. D. C. D. C. D.

STATES PART (A) AND PART (C)

Ajmer

No incidence.

Assam

No incidence.

Bhopal

TOTAL

Estd. mid-year pop.
(50 thousands.)

Total for w/e 27-6-53

Total for w/e 20-6-53

7-yearly mean for the
week

Alwar

Bikaner

Bharatpur

Bhilai

Bhopal

Bikaner

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Bombay

Greater Bombay

Ahmedabad

Kaira

Bhavnagar

Panch Mahals

Surat

Thana

Satara South

Ahmednagar

East Khandesh

West Khandesh

Amreli

Nasik

Poona

Satara North

Sholapur

Saberkantha

Belgaum

Bijapur

Dharwar

Kanara

Ratnagiri

Kolaba

Kolhapur

Baroda

Navsari

Dangs

Malwan

Mehsana

Banaskantha

TOTAL

Estd. mid-year pop.
(27,445 thousands.)

Total for w/e 27-6-53

Total for w/e 20-6-53

7-yearly mean for
the week

Explanation of Symbols used C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th July, 1953—*contd.*

CHOLERA							SMALLPOX							PLAGUE							CHOLERA							SMALLPOX							PLAGUE																				
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.							D.							C.							D.						
C.							D.							C.							D.							C.																											

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th July, 1953—*contd.*

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa—<i>contd.</i>							Uttar Pradesh—<i>contd.</i>						
Canjam Agency	—	—	—	—	Bunor	—	—	—	—	—	—
Koraput	—	—	10	3	—	—	Budaun	—	—	2	—	—	—
Keonjhar	4	1	3	—	—	—	Moradabad	—	—	—	..	—	..
Phenkanal	16	2	—	—	Shahjahanpur	—	—	2	2
Bolangir Patna	—	—	1	—	—	—	Pilibhit	—	—	—	—	—	—
Sundergarh	—	—	..	—	—	—	Farrukhabad	—	—	—	—	—	—
Kalahandi	26	7	—	—	Etawah	2	3	—	—	—	—
Angul	—	—	—	—	—	—	Kanpur	8	4	1	—	—	—
Mayurbhanj	—	..	5	3	—	—	Patna	—	..	—	..	—	—
TOTAL	53	28	73	16	—	—	Allahabad	2	—	—	—	—	—
(Estd. mid-year pop. 14,849 thousands).							Jhansi	—	—	..	—	—	—
Total for w/e 27-6-53	90	51	88	20	—	..	Jalaun	8	6	—	—	—	—
Total for w/e 20-6-53	201	96	99	11	—	—	Hamirpur	4	3	—	—	—	—
7-yearly mean for the week	87	46	119	21	—	—	Banda	5	2	—	—	—	—
Punjab (I)							Banaras	—	—	—	—	—	—
Hissar	—	—	1	—	—	—	Mirzapur	28	8	—	—
Rohtak	—	—	1	—	—	—	Jaunpur	2	1	—	—	—	—
Gurgaon	—	—	—	—	Ghazipur	—	—
Karnal	—	—	7	1	—	—	Ballia	—	—	—	—	—	—
Ambala	—	—	—	1	—	—	Gorakhpur	13	5	—	—
Simla	—	—	—	..	—	—	Deoria	7	3	—	—	—	—
Kangra	—	—	1	1	—	—	Basti	—	—	—	—	—	—
Hoshiarpur	—	—	8	2	—	—	Azamgarh	12	6	—	—	—	—
Jullundur	—	—	3	—	—	—	Namital	—	—	—	—	—	—
Ludhiana	—	—	—	—	Almora	—	—	1	—	—	—
Ferozepur	—	—	10	5	—	—	Garhwal	—	—	2	—
Amritsar	—	—	11	2	—	—	Lucknow	7	4	—	—	—	—
Gurdaspur	—	—	—	—	Unao	—	—	..	—	—	—
TOTAL	—	—	42	12	—	—	Rae-Bareilly	—	—	—	—	—	—
(Estd. mid-year pop. 12,649 thousands).							Sitapur	—	—	—	—	—	..
Total for w/e 27-6-53	—	—	33	11	—	—	Hardoi	3	2	1	1	—	—
Total for w/e 20-6-53	—	—	41	12	..	—	Kheri	2	1	—	—	—	—
7-yearly mean for the week	10	9	18	7	—	..	Faizabad	2	2	—	—	—	—
Tripura							Gonda	—	—	—	—	—	..
<i>No incidences.</i>							Bahraich	—	—	—	—	—	..
Uttar Pradesh							Sultanpur	—	—	—	—	—	..
Dehra Dun	—	..	—	—	—	..	Pratapgarh	1	1	—	—	—	—
Saharanpur	—	—	—	..	—	..	Bara Banki	12	1	—	—
Muzaffarnagar	—	..	1	—	..	Rampur	—	—	—	..
Meerut	—	—	..	TOTAL	120	54	14	4	—	—
Bulandshahr	—	—	(Estd. mid-year pop. 64,826 thousands).						
Aligarh	—	—	..	—	—	..	Total for w/e 27-6-53	127	59	4	4	—	—
Mathura	—	—	—	..	Total for w/e 20-6-53	124	61	25	12	—	—
Agra	1	—	—	..	7-yearly mean for the week	433	217	149	43	—	—
Mainpuri	2	2	3	—	—	..	Vindhya Pradesh						
Etah	1	—	1	—	—	..	TOTAL	221	77	—	—
Bareilly	—	—	(Estd. mid-year pop. 3,630 thousands).						
							Total for w/e 27-6-53	185	96	—	—	—	—
							Total for w/e 20-6-53	260	134	—	—	—	—

Explanation of Symbols used : C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th July, 1953—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal								Hyderabad— <i>contd.</i>							
Burdwan . .	91	48	1	2	—	—	—	Hyderabad . .	—	—	—	—	—	—	—
Birbhum . .	23	16	1	—	—	—	—	Nanded . .	49	16	—	—	—	—	—
Bankura . .	18	9	1	—	—	—	—	TOTAL . .	155	50	—	—	—	—	—
Midnapur . .	63	29	—	—	—	—	—	Jammu & Kashmir							
Hooghly . .	51	22	—	—	—	—	—	<i>Information not received.</i>							
Howrah . .	171	109	—	—	—	—	—	Madhya Bharat							
24-Parganas . .	188	85	—	—	—	—	—	Bhind . .	—	—	—	—	—	—	—
Calcutta . .	520	193	5	3	—	—	—	Bhilsa . .	—	—	12	8	—	—	—
Nadia . .	2	1	—	—	—	—	—	Gird . .	—	—	—	—	—	—	—
Murshidabad . .	8	4	—	—	—	—	—	Indore . .	—	—	—	—	—	—	—
Malda . .	—	—	—	—	—	—	—	Jhabua . .	—	—	—	—	—	—	—
West Dinajpur . .	—	—	—	—	—	—	—	Morena . .	—	—	—	—	—	—	—
Jalpaiguri . .	—	—	—	—	—	—	—	Mandsaur . .	—	—	—	—	—	—	—
Darjeeling . .	—	—	—	—	—	—	—	Nimar . .	—	—	—	—	—	—	—
Cooch Behar . .	—	—	4	—	—	—	—	Ratlam . .	—	—	—	—	—	—	—
Chandernagore . .	—	—	—	—	—	—	—	Shivpuri . .	—	—	—	—	—	—	—
TOTAL . .	1,135	516	12	5	—	—	—	Shajapur . .	—	—	—	—	—	—	—
(Estd. mid-year pop. 25,475 thousands).								TOTAL . .	—	—	12	8	—	—	—
Total for w/e 27-6-53	1,010	449	10	2	—	—	—	Mysore							
Total for w/e 20-6-53	1,030	451	17	7	—	—	—	Bangalore . .	6	—	2	—	—	—	—
7-yearly mean for the week . .	249	102	82	37	—	—	—	Chikmagalur . .	—	—	—	—	—	—	—
Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh).]	2,793	1,184	335	95	—	—	—	Chitaldrug . .	—	—	—	—	—	—	—
Corresponding (Estd. mid-year pop. 294,603 thousands).								Hassan . .	—	—	—	—	—	—	—
Corresponding Total for w/e 27-6-53 . .	2,623	1,120	382	103	—	—	—	Kadur . .	—	—	—	—	—	—	—
Corresponding Total for w/e 20-6-53 . .	2,623	1,195	393	86	—	—	—	Kolar . .	—	—	8	6	—	—	—
Corresponding 7-yearly mean for the week . .	1,959	915	1,072	226	6	3	—	Mandya . .	—	—	1	—	—	—	—
								Mysore . .	—	—	1	—	1	—	—
								Shimoga . .	—	—	—	—	—	—	—
								Tamkur . .	—	—	—	—	—	—	—
								TOTAL . .	6	—	12	6	1	—	—
STATES PART ()								Patiala & East Punjab States Union							
Hyderabad								TOTAL . .	—	—	44	6	—	—	—
Aurangabad . .	34	14	—	—	—	—	—	Rajasthan							
Farbhani . .	14	4	—	—	—	—	—	Bikaner . .	—	—	4	—	—	—	—
Bhir . .	—	—	—	—	—	—	—	Ohuru . .	—	—	1	—	—	—	—
Gulberga . .	—	—	—	—	—	—	—	TOTAL . .	—	—	5	—	—	—	—
Raleghur . .	—	—	—	—	—	—	—	Saurashtra							
Bidar . .	—	—	—	—	—	—	—	<i>Information not received.</i>							
Omanabad . .	1	1	—	—	—	—	—	Travancore-Cochin							
Warrangal . .	—	—	—	—	—	—	—	<i>No incidences.</i>							
Karimnagar . .	—	—	—	—	—	—	—								
Adilabad . .	23	8	—	—	—	—	—	Grand total for States Part (B) . .	161	56	73	20	1	—	—
Nizamabad . .	14	8	—	—	—	—	—	Grand total for States Parts (A), (B) & (C) . .	2,958	1,240	408	115	1	—	—
Medak . .	18	5	—	—	—	—	—								
Nalgonda . .	—	—	—	—	—	—	—								
Mahbubnagar . .	—	—	—	—	—	—	—								

Explanation of Symbols used : C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th July, 1953—concl'd.

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
ARREAR INFORMATION																Jammu & Kashmir																															
Bihar																w/e 13-6-53																															
w/e 13-6-53																TOTAL																															
Saurashtra																w/e 27-6-53																															
atna	.	.	.	1	..	1	1	15	7	2							
ahabad	.	.	.	86	43	10	6	Gohilwad	15	7	2							
amparan	9	Madhya Saurashtra	7	7	2								
uzaffarpur	.	.	.	7	5	Halar	2	2	2	2	2	2						
ntal Parganas	.	.	.	4	Sorath	7	6	7	6	7	6						
azaribagh	6	TOTAL	31	8	31	8	31	8						
anchoi	.	.	.	10	4	Himachal Pradesh																																		
anbhum	.	.	.	2	w/e 20-6-53																																		
TOTAL	.	.	.	110	52	26	6	Mahasu	7	7	7								
Bihar																Mandi																															
w/e 20-6-53																Chamba																															
atna	.	.	.	3	TOTAL	9	1	9	1	9	1						
ya	.	.	.	15	10	TYPHUS																																		
ahabad	.	.	.	19	19	1	1	Places	Period																Cases																	
uzaffarpur	.	.	.	6	4	Greater Bombay	15-6-53]																1 (Non-Louse borne)																	
ntal Parganas	.	.	.	13	10	POLIOMYELITIS																																		
anchoi	14	2	(Information based on patients treated in hospitals in important towns.)																																		
anbhum	3	1	Places	Period																Cases																	
TOTAL	.	.	.	56	43	18	4	Uttar Pradesh	16-30 June, 1953																3 (Paretic)																	
Explanation of symbols used :— C=Cases ; D=Deaths.																																															

NEW DELHI-2 (INDIA); }
The 27th July, 1953.

K. MITRA,

for Registrar General, India

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953

Town	Mid-year Popn. Est. (000)	B.	Deaths from—										D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
STATES—(Parts A and O)														
Ajmer														
Return not received.														
Assam														
Dibrugarh	41	5	6.3
Gauhati	47	5	5.5	3	1	1	..	7	7.8
Silchar	38	7	9.6	2	1	6	8.2
Shillong†														
TOTAL	126	17	7.0	—	—	—	5	2	1	..	13	5.4
Bhopal														
Bhopal	108	46	22.2	2	—	1	—	8	3.0
Bihar														
Return not received.														
Bombay														
Ahmedabad	832	569	37.2	..	1	..	31	4	49	..	193	13.0	78	..
Ahmednagar	84	76	47.5	4	3	5	..	27	16.7	10	..
Amalner	47	41	46.5	1	..	1	..	17	18.8	5	..
Bagalkot	34	24	36.7	5	1	13	19.9	3	..
Baroda	225	173	40.1	24	4	5	..	45	10.4	13	..
Bhavnagar	44	52	61.4	5	..	1	..	17	20.1	7	..
Belgaum	105	44	21.8	3	3	2	..	20	9.9
Bhusawal	57	18	16.4	2	1	5	4.6	1	..
Bijapur	70	72	53.5	3	..	8	5.9	1	..
Broach	65	42	33.6	5	..	1	3	26	20.8	3	..
Cambay	40	30	39.0	6	9	11.7
Chalisgaon	33	23	37.3	12	1	1	..	28	45.5	6	..
Dharwar	71	28	20.5	3	1	1	..	12	8.8	—	..
Dhulia	82	65	41.2	5	..	8	..	21	13.3	3	..
Gadag-Betgeri†														
Godhra	40	32	41.6	2	6	7.8
Greater Bombay	3,106	1,464	24.6	..	4	..	9	33	172	2	748	12.6	203	..
Hubli	137	56	21.2	1	..	4	..	16	6.1
Jalgaon	73	83	59.1	5	1	18	14.8	5	..
Kalyan	65	44	35.2	1	2	..	5	4.0
Kolhapur	147	94	33.2	2	2	5	..	31	11.0	4	..
Nandurbar	32	22	35.7	1	3	1	..	9	14.6	2	..
Malegaon	59	50	44.1	26	2	1	..	38	33.5	9	..
Miraj†														
Nadiad	66	57	44.4	20	30	23.4	12	..
Nasik	107	45	21.9	4	3	6	..	35	17.1	10	..
Navsari	47	29	32.1	1	..	1	..	6	6.6
Pandharpur	42	43	53.2	3	3	4	1	17	21.0	5	..
Patan	45	47	54.3	4	..	2	..	13	15.1	2	..
Poona	539	290	28.1	1	2	22	2	140	13.5	40	..
Sangli	54	12	11.6	4	8	7.7	2	..
Satara	39	16	21.3	2	..	1	1	12	16.0	1	..
Sholapur	281	251	46.4	10	5	35	1	103	19.6	29	..
Surat	235	183	40.4	9	8	23	..	89	20.1	30	..
Thana†														
TOTAL	6,902	4,075	30.7	..	5	..	209	79	356	12	1,765	13.3	484	..
Delhi State														
Delhi City	995	662	34.6	88	7	18	..	179	9.4	58	..
New Delhi	322	223	36.0	12	3	13	..	46	7.4	9	..
TOTAL	1,317	885	34.9	—	100	10	31	..	225	8.9	67	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Pradesh														
Achalpur . . .	37	22	30.9	—	—	1	—	..	4	5.6	2	
Akola . . .	96	65	35.2	8	3	2	4	37	25.0	5	
Amravati . . .	93	68	38.0	—	—	—	4	1	4	1	17	9.5	5	
Bilaspur . . .	39	19	25.3	3	—	10	13.3	4	
Burhanpur†														
Chanda . . .	42	39	43.3	1	—	—	11	1	18	22.8	13	
Damoh†														
Gondia . . .	41	19	24.1	6	..	—	..	11	13.4	..	
Hinganghat†														
Jabalpur . . .	218	78	18.6	..	3	..	15	3	4	..	37	8.8	5	
Khandwa†														
Nagpur†														
Raipur . . .	96	10	5.4	—	8	—	..	—	12	6.5	..	
Sagar†														
Wardha †														
Yestmal†														
TOTAL	662	320	25.1	1	3	—	55	9	10	5	146	11.5	34	
Madras														
Ambur . . .	42	24	30.0	—	—	8	10.0	5	
Adoni . . .	58	41	36.7	..	—	—	—	2	2	2	14	12.5	..	
Ananthapur . . .	34	25	38.2	1	1	..	1	11	16.8	1	
Anakapalle . . .	43	36	43.5	—	..	4	9	11.0	3	
Bellary . . .	74	59	41.4	..	2	2	1	2	12	8.4	..	
Bodinayakanur . . .	38	23	31.4	3	7	9.5	1	
Bhimavaram . . .	33	18	28.3	—	—	—	
Chidambaram . . .	37	28	39.3	1	1	5	7.0	..	
Dannanore†														
Chirala . . .	40	22	28.6	..	—	—	1	1	..	—	6	7.8	1	
Chittoor . . .	41	10	12.6	—	4	..	11	14.0	1	
Coimbatore . . .	213	183	44.6	..	—	—	3	12	16	3	82	20.0	17	
Cuddalore . . .	71	59	43.1	..	—	..	4	3	2	1	24	17.5	2	
Cuddappah . . .	40	25	32.5	2	2	2	—	11	14.3	2	
Dindigul . . .	84	44	27.2	..	—	..	1	4	4	..	26	16.0	7	
Eluru . . .	92	41	23.1	1	..	5	1	18	10.1	2	
Erode . . .	62	59	49.4	1	1	4	1	17	14.2	4	
Fort Cochin . . .	31	19	31.8	1	4	..	11	18.4	1	
Gobichetty Palayam	34	20	30.5	—	2	3.0	1	
Gudivada . . .	34	26	39.7	1	1	9	13.7	..	
Guntakal . . .	34	12	19.3	1	..	4	6.1	..	
Guddiyattam . . .	49	32	34.0	5	1	1	..	16	17.0	4	
Guntur . . .	135	118	45.4	6	2	8	..	43	16.5	10	
Hospet . . .	42	21	25.9	3	4	2	..	17	21.0	5	
Kakinada . . .	106	53	26.0	7	2	..	1	21	10.2	6	
Kanchi . . .	87	48	28.6	1	2	2	6	2	31	18.5	10	
Karakudi . . .	41	26	33.0	1	1	1	..	10	12.6	4	
Karur†														
Kozhikodo . . .	166	186	58.2	—	7	13	7	3	87	27.2	23	
Kumbakonam . . .	97	89	47.6	—	1	2	2	..	32	17.1	3	
Kurnool . . .	64	71	57.6	3	3	2	..	20	16.2	8	
Madras . . .	1,542	1,031	34.8	57	78	167	..	626	21.1	150	
Mangalore . . .	126	65	26.7	4	24	16.0	5	
Masulipatnam . . .	82	29	18.3	3	1	2	..	11	7.0	4	
Mathurai . . .	390	303	40.4	—	18	9	36	1	136	18.1	28	
Mayuram . . .	46	44	49.7	2	..	22	24.8	5	
Melapalayam . . .	39	11	14.6	2	3	2	..	9	12.0	5	
Nandiyal . . .	35	29	43.0	7	..	12	17.8	4	
Nagapattinam . . .	59	36	31.7	..	3	..	3	1	4	..	28	27.6	4	
Nellore . . .	87	87	51.9	7	2	9	2	61	36.4	12	
Ootacamund . . .	44	27	31.8	—	1	5	8	..	21	24.8	5	
Palani . . .	37	31	43.5	—	—	—	..	3	5	..	16	22.4	3	
Periyakulam . . .	32	28	45.5	1	..	5	..	11	17.8	3	
Palayamkottai . . .	42	26	32.1	..	—	—	1	..	9	11.1	..	
Palghat . . .	73	41	29.1	..	—	—	4	..	3	1	31	22.0	6	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953—*contd.*

Town	Mid.-year Popn. Est. (000)	Deaths from—										Total	D.R.*	I.D.	
		B.	B.R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras—contd.															
Pollachi	46	26	29.3	—	—	—	3	2	2	..	21	23.7	4		
Proddatur	39	25	33.3	..	3	..	2	1	14	18.6	4		
Pudukottai†															
Rajahmundry	112	106	49.2	2	3	1	38	17.6	10		
Rajapalayam	64	35	28.4	3	3	1	..	13	10.5	1		
Srirangam	39	7	0.3	6	8.0	..		
Salem	219	124	29.3	5	2	10	..	40	9.4	6		
Srivilliputtur	42	16	19.8	4	1	2	..	13	16.0	2		
Tanjore	108	75	36.0	1	5	7	1	37	17.7	3		
Tellicherry	41	44	55.7	1	2	3	..	21	26.6	6		
Tenali	62	37	31.0	3	23	19.2	8		
Tiruchirappalli	233	134	29.8	2	3	13	..	76	17.0	12		
Tirunelveli	76	71	48.5	1	2	7	..	34	23.2	7		
Tiruppur	57	39	35.5	1	..	11	10.0	3		
Tiruvannamalai	42	30	37.1	1	1	2	..	9	11.1	1		
Tuticorin	104	59	29.5	1	4	3	3	..	29	14.5	10		
Villupuram	37	37	51.9	1	1	2	..	10	14.0	4		
Vaniyambadi	40	22	28.6	2	2	..	9	11.7	2		
Vellore	114	89	40.5	..	3	..	2	2	4	..	42	19.1	10		
Vijayavada†															
Virudhunagar†															
Vishakhapatnam	117	82	36.4	5	1	6	1	40	17.7	5		
Vizianagaram	71	43	31.4	4	..	1	..	20	14.6			
TOTAL	6,210	4,307	36.0	3	11	..	195	200	394	24	2,087	17.5	460		
Orissa															
Berhampur	67	32	24.9	2	1	1	1	12	9.3	4		
Outback	109	122	58.3	9	7	2	..	42	20.1	11		
Puri	51	17	17.4	5	5	17	17.4	3		
TOTAL	227	171	39.2	16	13	3	1	71	16.4	18		
Punjab (I)															
Ambala	61	35	29.9	3	1	3	1	13	11.1	5		
Amritsar	317	179	29.4	..	2	..	4	8	29	1	90	14.8	14		
Batala	59	29	25.6	6	8	7.1	6		
Bhiwani	54	36	34.7	5	3	3	..	14	13.5	5		
Ferozepore	41	25	31.8	2	2	3	..	10	12.7	4		
Hissar	37	23	39.4	8	1	3	..	13	18.3	4		
Hoshiarpur	48	23	25.0	5	..	1	..	8	8.7	3		
Jullundur	182	109	31.2	14	3	1	..	25	7.2	5		
Karnal	61	28	23.9	6	8	6.8	1		
Ludhiana	164	94	29.9	10	26	8.3	4		
Moga	39	28	37.4	3	4	5.3	..		
Panipat	59	34	30.0	7	..	2	..	13	11.5	1		
Pathankot	33	20	31.6	5	6	9.5	1		
Rewari	35	8	11.9	4	..	2	..	9	13.4	2		
Rohtak	73	59	42.1	5	7	5.0	1		
Simla	47	30	33.3	2	2.2	1		
Sonepat	31	18	30.3	2	4	6.7	2		
TOTAL	1,341	783	30.4	..	2	..	89	18	47	2	260	10.1	59		
Uttar Pradesh															
Agra	352	249	36.9	3	14	75	..	167	24.7	38		
Allahabad	329	120	19.0	4	2	26	..	60	9.5	11		
Amroha	60	62	53.9	6	2	5	1	24	20.9	8		
Bahraich	45	25	29.0	3	..	1	..	7	8.1	3		
Ballia	32	11	17.9	5	..	1	..	8	13.0	1		
Banaras	358	250	36.4	53	18	18	..	167	24.3	22		
Banda	31	12	20.2	2	..	1	..	3	5.0	..		
Barilly	198	63	16.6	9	4	4	..	24	6.3	4		
Basti†															
Bijnor	31	22	37.0	..	5	..	3	9	15.1	1		
Budann	53	27	26.6	7	..	2	..	19	18.7	3		
Bulandshahr	39	24	32.1	10	10	13.4	2		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; O.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.	
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh— <i>contd.</i>															
Ohandausi†															
Dehra Dun	130	30	12.0	1	3	..	10	4.0	1		
Etawah	62	51	42.9	13	2	4	..	26	21.9	9		
Faisalabad-Ajodhya	81	20	12.9	2	1	3	1	9	5.8	1		
Farrukhabad-Fatehgarh	78	35	23.4	8	..	4	..	16	10.7	4		
Ferozabad	71	35	25.7	5	8	5.9	5		
Ghaziabad	42	24	29.8	4	..	1	..	8	9.9	2		
Ghaziipur	35	20	29.8	3	..	3	..	11	16.4	..		
Gonda	34	13	19.9	5	6	9.2	2		
Gorakhpur	131	48	19.1	5	..	7	..	25	10.0	6		
Hapur	46	38	43.1	14	3	3	..	24	27.2	8		
Hardwar	60	29	25.2	8	3	3	..	24	20.9	1		
Hathras	59	73	64.5	15	4	5	..	26	23.0	8		
Jaunpur	54	13	12.6	3	..	3	1	12	11.6	..		
Jhansi	111	76	35.7	24	..	2	..	32	15.0	11		
Kanpur	680	301	23.1	76	24	32	4	258	19.8	88		
Kasganj	33	7	11.1	1	1	1.6	1		
Khurja	40	29	38.8	1	..	1	..	9	11.7	2		
Koil-Aligarh	143	82	29.9	40	2	4	..	57	20.8	16		
Lucknow	467	212	23.7	37	8	11	..	116	13.0	26		
Mathura	104	54	27.1	12	..	6	..	22	11.0	6		
Mau-Nath Bhanjan†															
Meerut	172	74	22.4	7	..	10	..	27	8.2	4		
Mirzapur-Vindhyachal	92	36	20.4	9	3	2	..	17	9.6	5		
Moradabad	160	130	42.4	2	17	10	13	..	56	18.2	11		
Muzaffarnagar	68	30	23.0	7	13	10.0	2		
Pilibhit	45	46	53.3	10	..	3	..	17	19.7	4		
Rampur	145	15	5.4	4	6	2.2	..		
Saharanpur	151	83	28.7	39	48	16.6	16		
Sambhal	63	53	43.9	..	3	..	5	2	3	..	19	15.7	1		
Shahjahanpur	99	41	21.6	13	1	1	..	17	9.0	6		
Sitapur	47	16	17.8	3	1	2	..	7	7.8	2		
TOTAL	5,031	2,579	26.7	2	8	..	495	105	262	7	1,425	14.8	341		

West Bengal*Return not received.***STATES—(Part B)****Jammu and Kashmir****Madhya Bharat***Returns not received.***Mysore State**

Bangalore City	862	563	33.9	..	1	..	7	45	48	..	268	16.1	..	
Davanagore	62	25	9.2	1	5	1.8	..	
Kolar Gold Fields	165	148	46.6	3	8	2	..	36	11.3	..	
Mysore City	266	168	32.8	11	9	3	..	65	12.7	..	
TOTAL	1,355	904	34.7	..	1	..	22	62	53	..	374	14.4	..	

PEPSU

Patiala City	103	65	32.8	..	1	..	12	1	2	1	39	19.7	8	
Malerkotla	33	26	41.0	1	2	3.2	..	
Bhatinda	36	11	23.0	1	..	1	..	3	4.3	..	
TOTAL	172	102	30.8	..	1	..	14	1	3	1	44	13.3	8	

Rajasthan

Alwar	59	34	30.0	1	10	8.8	..	
Bharatpur†														
Bikaner	117	60	26.6	6	3	8	..	27	12.0	2	
Churu	44	2	2.4	1	1	1.2	..	
Ganganagar	41	15	19.0	..	2	..	2	..	1	1	13	16.5	5	
Tonk	44	12	14.2	1	1	3	..	6	7.1	1	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

B rths and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan—contd.															
Sikar	47	10	11.1	—	—	—	..	—	1	1.2	.		
Jaipur	318	37	6.1	—	1	—	24	3	31	1	80	13.1	34		
Udaipur	97	7	3.8	—	—	—	4	..	1	..	5	2.7	2		
Kotah	67	11	8.5	—	..	—	6	..	1	..	8	6.2	1		
TOTAL	834	188	11.7	—	3	—	45	7	45	2	151	9.4	45		

Saurashtra *Return not received.*
Travancore-Cochin *Return not received.*

ARREAR RETURNS

West Bengal														
<i>For w/e the 13th June, 1953</i>														
Asansol†	32	12	19.6	—	—	—	—	2	—	—	5	3.1	1	—
Baidyabati	63	6	5.0	—	—	—	—	—	—	—	2	1.7	1	—
Bally	49	5	5.3	—	—	—	1	—	—	—	2	2.1	—	—
Bankura	83	41	25.8	4	—	—	3	4	5	—	25	15.7	—	—
Baranagar	37	6	8.5	2	—	—	—	—	1	—	3	4.	—	—
Basirhat	59	29	25.6	1	—	—	4	—	—	—	10	8.8	—	—
Berhampur	33	6	9.5	—	—	—	1	2	3	—	6	9.5	—	—
Bhadreswar	138	17	16.4	—	—	—	5	1	—	—	13	4.9	2	—
Bhatpara	32	7	11.4	1	—	—	1	1	1	—	4	6.5	1	—
Budge-Budge	78	11	7.4	3	—	—	1	—	—	—	8	5.4	—	—
Burdwan	2,825	1,088	20.1	123	1	—	70	87	139	2	758	14.0	193	—
Calcutta	39	10	13.4	—	—	—	—	—	—	—	2	2.7	—	—
English-Bazar	33	4	6.3	—	—	—	1	—	—	—	1	1.6	—	—
Garden Reach	116	19	8.5	—	—	—	6	—	—	—	13	5.8	4	—
Halisahar	38	3	4.1	—	—	—	—	—	—	—	1	1.4	—	—
Hooghly-Chinsura	58	25	22.5	—	—	—	3	1	2	1	16	14.4	3	—
Howrah	458	125	14.2	16	—	—	10	21	38	1	147	16.7	38	—
Jalpaiguri†	64	9	7.3	—	—	—	1	—	—	—	3	2.4	—	—
Kamarhati†	52	1	1.0	—	—	—	—	—	—	—	3	3.0	—	—
Kanchrapara	62	41	34.5	—	—	—	3	1	1	—	7	5.9	—	—
Krishnagar	58	7	6.3	—	—	—	3	—	2	—	7	6.3	1	—
Midnapore†	34	5	7.7	—	—	—	—	—	—	—	2	4.6	—	—
Nabadwip	58	5	4.5	1	—	—	—	1	—	—	3	2.7	—	—
Naihati	46	14	15.9	—	—	—	—	—	1	—	3	3.4	—	—
North Barrackpore	78	31	20.8	3	—	—	4	4	7	—	25	16.7	11	—
Panihati	37	6	8.5	—	—	—	—	—	—	—	—	—	—	—
Santipur	71	3	2.2	—	—	—	—	—	—	—	2	1.5	—	—
Serampore	112	27	12.6	4	1	—	—	4	5	—	18	8.4	6	—
Siliguri	74	15	10.6	1	—	—	4	1	1	—	10	7.0	2	—
South Dum-Dum	27	1	3.7	—	—	—	—	—	—	—	1	3.7	—	—
South Suburban	112	27	12.6	4	1	—	—	4	5	—	18	8.4	6	—
Titagarh	74	15	10.6	1	—	—	4	1	1	—	10	7.0	2	—
TOTAL	4,917	1,578	16.7	159	2	—	121	130	206	4	1,099	11.7	263	—

Bihar														
<i>For w/e the 20th June, 1953</i>														
Arrah	68	7	5.4	—	—	—	1	—	—	—	1	0.8	—	—
Betlah	37	2	2.8	—	—	—	1	—	—	—	3	4.2	1	—
Bhagalpur	120	12	5.2	—	—	—	2	—	—	—	6	2.6	—	—
Bihar	65	6	4.8	—	—	—	2	—	—	—	2	1.6	—	—
Chepra†	88	25	14.8	—	—	—	5	—	—	—	14	8.3	—	—
Darbhanga	45	8	9.3	—	—	—	2	2	1	—	6	6.9	—	—
Dinapur-Nizamat	37	2	2.8	—	—	—	—	—	—	—	2	2.8	—	—
Dhanbad	45	7	8.1	—	—	—	—	—	—	—	—	—	—	—
Gaya†	232	88	19.7	—	1	—	2	—	3	1	17	3.8	3	—
Jamalpur	78	7	4.8	—	—	—	2	1	—	—	3	2.1	—	—
Jamshedpur	79	17	11.9	—	—	—	3	—	—	—	7	4.6	—	—
Monghyr	118	22	10.0	—	—	—	6	—	—	—	10	4.4	—	—
Muzaffarpur	44	4	4.7	—	—	—	3	—	—	—	3	3.5	—	—
Patna†	44	4	4.7	—	—	—	3	—	—	—	3	3.5	—	—
Ranchi	44	4	4.7	—	—	—	3	—	—	—	3	3.5	—	—
Purulia	44	4	4.7	—	—	—	3	—	—	—	3	3.5	—	—
Katihar†	44	4	4.7	—	—	—	3	—	—	—	3	3.5	—	—
TOTAL	1,054	207	10.2	—	1	—	29	3	4	1	74	3.7	4	—

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

irths and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953—*contd.*

Town	Mid. year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras		For w/e the 27th June, 1953													
Chennai	58	41	36.7	2	5	..	10	9.0	..		
Chennai	42	38	47.0	4	..	1	..	13	16.1	1		
Chennai	43	30	36.2	1	3	2	..	16	19.3	7		
Chennai	74	63	44.2	1	..	5	1	18	12.6	2		
Chennai	44	43	50.7	4	1	4	..	24	28.3	2		
Chennai	40	29	37.7	1	1	2	..	13	16.9	..		
Chennai	41	22	27.8	1	1	4	..	12	15.2	4		
Chennai	213	184	44.8	2	4	20	1	89	21.7	17		
Chennai	71	71	52.0	1	3	5	3	26	19.0	1		
Chennai	40	34	44.2	1	1	2	16	20.8	2		
Chennai	62	59	49.4	1	2	1	..	19	16.0	1		
Chennai	49	33	35.0	..	1	1	1	..	11	11.7	6		
Chennai	135	102	39.3	8*	3	3	..	45	17.3	6		
Chennai	41	99	125.5	4	4	5	2	52	65.9	9		
Chennai	46	22	24.8	1	1	1	..	14	15.8	2		
Chennai	97	64	34.3	2	8	..	25	13.4	3		
Chennai	1,542	846	27.9	75	86	170	1	622	20.5	178		
Chennai	82	34	21.5	1	..	1	..	16	10.1	9		
Chennai	59	50	44.0	..	1	..	2	3	1	..	25	22.0	5		
Chennai	42	40	49.5	2	1	3	..	19	23.5	1		
Chennai	73	67	47.7	3	2	4	1	39	27.7	6		
Chennai	39	31	41.3	..	2	2	..	9	12.0	2		
Chennai	112	43	20.0	4	..	1	..	29	13.4	3		
Chennai	64	50	40.6	3	1	3	..	24	19.4	5		
Chennai	219	132	31.2	6	10	13	2	64	15.2	7		
Chennai	108	101	48.5	3	3	4	..	38	18.2	4		
Chennai	41	36	45.6	5	1	1	23	29.2	2		
Chennai	62	47	39.3	5	19	15.8	6		
Chennai	76	58	39.6	2	1	1	..	28	19.1	10		
Chennai	57	31	28.2	2	2	..	18	16.4	5		
Chennai	104	81	40.5	2	5	..	27	13.5	4		
Chennai	40	27	35.1	..	1	4	..	10	13.0	2		
Chennai	114	116	52.8	..	4	..	1	6	6	..	47	21.4	7		
Chennai	34	27	41.2	1	1	10	15.3	..		
Chennai	38	20	27.4	2	6	8.2	1		
Chennai	34	12	18.3	1	1	5	7.6	2		
Chennai	34	30	45.9	..	1	..	2	2	1	..	13	19.9	7		
Chennai	34	23	35.2	1	2	..	7	10.7	4		
Chennai	42	27	33.4	1	1	3	..	9	11.1	3		
Chennai	35	20	29.7	3	..	6	..	10	14.8	1		
Chennai	37	17	23.8	1	1	3	..	15	21.1	2		
Chennai	32	31	50.3	1	2	..	18	29.2	2		
Chennai	46	48	54.2	2	3	3	1	16	18.1	1		
Chennai	39	17	22.7	1	1	20	26.7	..		
Chennai	37	27	37.9	6	8.4	1		
TOTAL	4,372	3,023	36.0	1	10	..	149	162	310	16	1,595	19.0	343		
Saurashtra		For w/e the 27th June, 1953													
Chhaynagar	146	47	16.7	15	3	3	..	40	14.2	12		
Chhaynagar	45	30	34.7	4	..	3	..	11	12.7	..		
Chhaynagar	112	17	7.9	14	2	7	1	37	17.2	10		
Chhaynagar	64	18	14.6	9	..	2	..	19	15.4	5		
Chhaynagar	42	5	6.2	1	1	1.2	..		
Chhaynagar	61	57	48.6	..	5	..	9	1	24	20.5	14		
Chhaynagar	147	57	20.2	13	14	27	9.6	4		
Chhaynagar	38	7	9.6	1	3	4.2	..		
Chhaynagar	43	20	24.2	3	3	3.6	1		
TOTAL	698	258	19.2	..	5	..	69	20	15	1	165	12.3	46		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th July, 1953—*conold.*

Town	Mid.-year Popn.-Est. (000)	B	B.R.*	C.	Deaths from :—								Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D	M.D					
Travancore-Cochin		For w/e the 20th June, 1953													
Alleppey	130	62	24·8	1	3	4	..	20	8·0	4		
Changanacherry	38	27	36·9	..	—	..	—	1	—	..	3	4·1	..		
Ernakulam	66	71	55·9	—	2	..	2	..	22	17·3	2		
Kottayam	47	43	47·6	—	..	2	—	9	10·0	..		
Mattancherri	78	59	59·3	1	..	1	..	11	7·3	2		
Nagercoil	86	25	15·1	—	—	—	1	2	1	1	12	7·3	1		
Quilon	70	71	52·7	..	—	—	1	2	1	—	8	5·9	2		
Trichur	73	55	39·2	..	—	—	1	1	1	2	8	5·7	..		
Trivandrum City	201	177	45·8	2	6	4	5	47	12·2	8		
TOTAL	789	590	38·9	—	—	—	9	15	16	8	140	9·2	19		
Assam		For w/e the 27th June, 1953													
Gauhati	47	12	13·3	..	—	—	3	—	4	4·4	..		
Dibrugarh	41	5	6·3	—	..	1	..	3	3·6	..		
Silchar	38	5	6·8	..	—	..	1	1	2	..	6	8·2	..		
TOTAL	126	22	9·1	—	4	1	3	..	13	5·4	..		
PEPSU		For w/e the 20th June, 1953													
Patiala City	103	43	22·1	—	2	—	12	1	32	16·2	5		
Malerkotla City	33	21	33·1	—	—	—	2	—	1	—	6	9·5	2		
Bhatinda	36	23	26·3	..	—	—	4	1	1	..	6	8·7	1		
TOTAL	172	87	26·3	—	—	—	18	1	2	1	44	13·3	3		
PEPSU		For w/e the 27th June, 1953													
Patiala City	103	56	28·3	..	4	—	13	1	1	..	38	19·2	9		
Malerkotla City	33	19	29·9	—	1	3	4·7	..		
Bhatinda	36	14	23·0	—	1	1	4	5·8	1		
TOTAL	172	89	26·9	—	15	1	1	1	45	13·6	10		
Jammu & Kashmir		For w/e the 18th April, 1953													
Srinagar	235	125	27·6	—	—	—	2	—	13	—	28	6·1	—		
Rajasthan															
Kotah	w/e 20-6-53	67	9	6·7	..	1	..	12	1	2	1	17	13·2	2	
Ganganagar	w/e 7-6-53	41	5	5·1	..	2	..	2	9	11·4	..	
Jaipur	w/e 20-6-53	318	41	6·7	30	3	21	..	69	11·3	29	
Bharatpur	w/e 30-5-53	38	9	12·3	9	2	1	..	12	16·4	2	
Madhya Pradesh															
Sagar	w/e 6-6-53	70	18	13·4	..	3	..	4	1	4	..	17	12·6	—	
Sagar	w/e 13-6-53	70	18	13·4	—	3	..	6	1	7	..	29	21·5	..	
Sagar	w/e 29-6-53	70	15	11·1	..	2	..	4	..	4	..	18	13·4	..	
Damoh	w/e 20-6-53	39	19	25·4	5	1	5	..	19	25·4	..	
Sagar	w/e 27-6-53	70	27	20·1	..	2	..	4	..	5	—	19	14·1	..	
Gondia	w/e 27-6-53	41	25	31·7	8	1	10	12·7	1	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rates ; I.D.=Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 4th July, 1953, relate to 186 towns with an estimated population of 24,294 thousands. The total number of towns is 296 and their population is 36,122 thousands. Thus 63% of the total number of towns representing 67% of the total population is covered in this statement. The numbers of the births and deaths recorded in these towns were 14,377 and 6,569 representing birth and death rates of 30·8 and 14·1 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 170 towns with an estimated population of 21,933 thousands. Information about Ajmer, Bihar and West Bengal could not be included. The total number of towns is 250 and their population is 30,772 thousands. Thus 68% of the total number of towns representing 71% of the total population is covered. The number of births and deaths recorded

in these towns were 13,183 and 6,000 representing birth and death rates of 31·3 and 14·2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 16 towns with an estimated population of 2,361 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 35% of total number of towns representing 44% of total population is covered. The numbers of births and deaths recorded in these towns were 1,194 and 569 representing birth and death rates of 26·3 and 12·5 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 4-7-53		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Bombay	30·7	13·3	29·8	14·0	32·1	16·9
Delhi	34·9	8·9	26·5	8·3	30·1	15·7
Madhya Pradesh . .	25·1	11·5	21·6	10·4	30·0	14·1
Madras	38·0	17·5	33·4	19·0	44·2	23·7
Orissa	39·2	16·4	30·1	20·9	40·2	25·4
Punjab (I)	30·4	10·1	30·0	11·4	21·5	12·2
Uttar Pradesh . . .	26·7	14·8	29·7	17·1	28·5	21·4
India (only States Parts A and C).	31·3	14·2	26·3	13·8	28·1	18·5

DELHI, 2 (INDIA);
The 27th July, 1953. }

K. MITRA,
for Registrar General, India.

Weekly Cotton Press Returns

I.—Statement of Cotton pressed in India for the week ending the 1st May, 1953

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925 as adapted by the Adaptation of Laws Order, 1950]

(Running Bales)

State and Division or Block	NUMBER OF BALES PRESSED				Districts included in the Division or Block
	During the week	During the corresponding week last year	Since 1st September 1952	During the corresponding period last year	
1	2	3	4	5	6
ASSAM—					
Cotton Lint . . .	268	285	4,855	4,312	The whole State.
Cotton Waste . . .	31	185	1,429	1,134	
BOMBAY—					
1. Gujarat . . .	18,037	8,934	485,892	309,271	Ahmedabad, Kaira, Broach, Panch Mahals and Surat.
2. North Deccan . . .	247	1,141	135,042	147,580	West Khandesh, East Khandesh and Nasik.
3. East Deccan . . .	2,783	2,239	34,591	43,736	Ahmednagar, Sholapur and Bijapur.
4. West Deccan and Southern Mahratta Country.	11,537	7,604	66,499	52,460	Poona, Satara, Ratnagiri, Belgaum, Dharwar and Kanara.
TOTAL BOMBAY*—					
Cotton Lint . . .	32,594	19,918	722,024	553,047	
Cotton Waste . . .	932	2,474†	44,360	44,755†	
MADHYA PRADESH—					
1. Jubbulpore	Jubbulpore, Sangor and Damoh.
2. Nerbudda	17,608	10,314	Narsinghpur, Hoshangabad.
3. Nimar	605	49,181	54,976	Nimar.
4. Nagpur . . .	1,649	1,306	99,111(a)	100,696	Nagpur, Chanda, Wardha, Balaghat and Bhandara.
5. Satpura	1,644	1,428	Chhindwara, Betul, Mandla and Seoni.
6. Chhattisgarh	Drug, Raipur and Bilaspur.
7. Berar . . .	4,406	14,505	526,534(b)	597,477	Akola, Amraoti, Buldana and Yeotmal.
TOTAL MADHYA PRADESH—					
Cotton Lint . . .	6,055	16,416	694,078(c)	764,891	
Cotton Waste	3,821	2,071	
MADRAS†—					
Cotton Lint . . .	3,772	4,846	93,348(d)	95,962	The whole State.
Cotton Waste . . .	723	540	34,429	25,971	
PUNJAB—					
1. Ambala	857	44,999	41,907	Hissar, Rohtak, Gurgaon, Karnal and Ambala.
2. Jullundur	199	17,695	17,728	Hoshiarpur, Jullundur and Ludhiana.
3. Amritsar . . .	165	..	26,434	18,283	Amritsar, Gurdaspur and Kangra.
4. Ferozepore	2,179	149,976	138,355	Ferozepore.
TOTAL PUNJAB—					
Cotton Lint . . .	165	3,235	239,104	216,273	
Cotton Waste	76	58	

*Excludes the Konkan and the Port Block (Thana, Kolaba and the Island of Bombay) where Cotton Pressed is mainly repressed Cotton or Cotton Waste. The figures for this Block are as under:—

Cotton Lint . . .	1,419	21,664	65,922	63,860
Cotton Waste

† For details by varieties in this State see Statement II.

Weekly Cotton Press Returns—contd.

I.—Statement of Cotton pressed in India for the week ending the 1st May, 1953—contd.

(Running Bales)

State and Division or Block	NUMBER OF BALES PRESSED				Districts included in the Division or Block
	During the week	During the corresponding week last year	Since 1st September 1952	During the corresponding period last year	
1	2	3	4	5	6
UP PRADESH—					
Upper Doab	811	177	Dehra Dun, Saharanpur, Meerut, Bulandshahr, Aligarh and Muzaffarnagar.
Middle Doab	1,740	730	Mathura, Farrukhabad, Etah, Agra, Mainpuri and Etawah.
Lower Doab and Bundelkhand.	34	..	Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur and Banda.
Rohilkhand	Hardoi, Shahjahanpur, Bareilly, Moradabad, Budaun, Bijnor, Pillibhit, Nainital, Almora and Garhwal.
Rest of the State	Mirzapur, Banaras, Jaunpur, Ghazipur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri, Sitapur, Unao, Lucknow, Barabanki, Rai Bareilly, Sultanpur, Fyzabad and Partabgarh.
AL U. P.—					
Cotton Lint	2,585	907	
Cotton Waste	209‡	5,767	6,820‡	
WEST BENGAL—					
Cotton Lint . . .	575	429	4,984	2,152	
Cotton Waste . . .	101	184	6,350	902	The whole State.
MADRAS—					
Cotton Lint . . .	3,260	10,897	261,411	377,178	
Cotton Waste	1,016	..	The whole State.
HYA BHARAT*—					
Cotton Lint . . .	950	..	143,412	83,621	
Cotton Waste	The whole State.
ORISSA—					
Cotton Lint . . .	180	516	4,865	6,815	
Cotton Waste . . .	150	..	2,258	1,074	The whole State.
TRIPURA UNION—					
Cotton Lint . . .	@	4,189‡	163,148‡	192,311‡	
Cotton Waste	The whole State.
ASSAM*—					
Cotton Lint . . .	26	..	101,243	68,673	
Cotton Waste	The whole State.
RAJASTHA—					
Cotton Lint . . .	15,092	5,577	99,226	48,638	
Cotton Waste	The whole State.
GUJARAT—					
Cotton Lint . . .	47	29	15,079	7,083	
Cotton Waste . . .	135	305‡	2,805	1,721‡	The whole State.
PUNJAB—					
Cotton Lint . . .	361	..	12,360	6,239	
Cotton Waste	The whole State.
COCHIN—					
Cotton Lint . . .	772	..	4,828	383	
Cotton Waste	The whole State.

NOTE.—There are no Cotton Pressing Factories in Bihar, Orissa, Travancore-Cochin, Vindhya Pradesh, Bilaspur, Coorg, Delhi, Himachal Pradesh and Tripura.

*Information in complete

② Data not yet received.

† Data up to w.e. 13-2-53.

‡ Data taken from the last year's returns.

(a) Includes 50 bales not reported before.

(b) „ 479 „ „ „

(c) „ 529 „ „ „

(d) „ 941 „ „ „

Weekly Cotton Press Returns—concl'd.

II.—Statement of Cotton pressed in Madras for the week ending the 1st May, 1953

(Running Bales

Variety of Cotton 1	NUMBER OF BALES PRESSED			
	During the week 2	During the correspond- ing week last year 3	Since 1st February 1953 4	During the correspond- ing period last year 5
Tinnevellies	254	715	2,262	3,149
Nadam Bourbon and Uppam
Madras Cambodias	1,590	1,127	8,440	12,083
Uganda	70	4,967	1,732
Narunganni	226	182	5,043	2,501
White and Red Northern	4,381	1,906
Westerns	1,459	2,463	19,670(a)	18,789
Mungari	370	..
Warangal Ocanades	243	289	3,707	1,025
Chinuapathi
TOTAL—				
Cotton Lint	3,772	4,846	48,840(a)	41,185
Cotton Waste	723	540	10,062	9,201

(a) Includes 941 bales not reported before.

DIRECTORATE OF ECONOMICS AND STATISTICS, }
NEW DELHI.

S. R. SEN,
Economic and Statistical Adviser
Ministry of food and Agriculture.

Weekly Cotton Press Returns

I.—Statement of Cotton pressed in India for the week ending the 8th May, 1953

[Section 5(2) of the Cotton Ginning and Pressing Factories Act, 1925 as adapted by the Adaptation of Laws Order, 1950.]

(Running Bales)

State and Division or Block 1	NUMBER OF BALES PRESSED				Districts included in the Division or Block 6
	During the week 2	During the corresponding week last year 3	Since 1st September 1952 4	During the corresponding period last year 5	
BOMBAY—					
Cotton Lint . . .	155	241	5,010	4,553	The whole State.
Cotton Waste . . .	8	142	1,437	1,276	
OMBAY—					
1. Gujarat . . .	8,100	13,774	494,001	323,045	Ahmedabad, Kaira, Broach, Panch Mahals and Surat.
2. North Deccan . . .	617	511	135,659	148,091	West Khandesh, East Khandesh and Nasik.
3. East Deccan . . .	3,495	2,181	38,086	45,917	Ahmednagar, Sholapur and Bijapur.
4. West Deccan and Southern Mahratta Country.	8,648	9,523	75,147	61,983	Poona, Satara, Ratnagiri, Belgaum, Dharwar and Kanara.
TOTAL—BOMBAY*—					
Cotton Lint . . .	20,869	25,989	742,893	579,036	
Cotton Waste . . .	1,054	1,462†	45,414	46,217†	
MADHYA PRADESH—					
1. Jubbulpore	Jubbulpore, Saugor and Damoh.
2. Nerbudda	17,608	10,314	Narsinghpur and Hoshangabad.
3. Nimar	387	49,181	55,363	Nimar.
4. Nagpur . . .	1,070	1,799	100,181	102,495	Nagpur, Chanda, Wardha, Balaghat and Bhandara.
5. Satpura	98	1,644	1,526	Ohhindwara, Betul, Mandla and Seoni.
6. Chhattisgarh	—	Drug, Raipur and Bilaspur.
7. Berar . . .	3,922	19,798	531,413(a)	617,275	Akola, Amravati, Buldana & Yavatmal.
TOTAL—MADHYA PRADESH—					
Cotton Lint . . .	4,992	22,082	700,027(a)	786,973	
Cotton Waste . . .	13	42	3,834	2,113	
MADRAS†—					
Cotton Lint . . .	7,976	7,161	104,518(b)	103,123	The whole State.
Cotton Waste . . .	871	497	35,300	26,468	
PUNJAB—					
1. Ambala	44,999	41,907	Hissar, Rohtak, Gurgaon, Karnal & Ambala
2. Jullundur	69	17,695	17,797	Hoshiarpur, Jullundur & Ludhiana.
3. Amritsar . . .	165	116	26,599	18,399	Amritsar, Gurdaspur & Kangra.
4. Ferozepur . . .	154	1,365	150,130	139,720	Ferozepur.
TOTAL—PUNJAB—					
Cotton Lint . . .	319	1,550	239,423	217,823	
Cotton Waste	76	58	
UTTAR PRADESH—					
1. Upper Doab	511	177	Dehra Dun, Saharanpur, Meerut, Bulandshahr, Aligarh & Muzaffarnagar.
2. Middle Doab	1,740	730	Mathura, Farrukhabad, Etah, Agra, Mainpuri & Etawah.
3. Lower Doab and Bundelkhand.	34	..	Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur & Banda.
4. Rohilkhand	Hardoi, Shahjahanpur, Bareilly, Moradabad, Budhoun, Bijnor, Pilibhit, Neimital, Akmore & Garhwal.
5. Rest of the State	Mirzapur, Banaras, Jaunpur, Ghazipur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Khairi, Sitapur, Unao, Lucknow, Barabanki, Rai Bareilly, Sultanpur, Fyzabad & Partabgarh.
TOTAL—U. P.—					
Cotton Lint	2,585	907	
Cotton Waste . . .	257	198†	6,024	7,018†	

*Excludes the Konkan and the Port Block (Thana, Kolaba and the Island of Bombay) where Cotton pressed is mainly repressed Cotton or Cotton waste. The figures for this Block are as under :—

Cotton Lint . . .	761	3,112	66,683	66,972
Cotton Waste

†For details by varieties in this State see Statement II.

†Data taken from last year's returns.

Weekly Cotton Press Returns—contd.

I.—Statement of Cotton pressed in India for the week ending the 8th May, 1953—contd.

(Running Bales)

State and Division or Block 1	NUMBER OF BALES PRESSED				Districts included in the Division or Block 6
	During the week 2	During the corresponding week last year 3	Since 1st September 1952 4	During the corresponding period last year 5	
WEST BENGAL—					
Cotton Lint . .	642	440	5,626	2,592	The whole State.
Cotton Waste . .	267	47	6,617	949	
HYDERABAD—					
Cotton Lint . .	2,689	10,971	264,100	388,149	The whole State.
Cotton Waste . .	310	..	1,326	..	
MADHYA BHARAT*—					
Cotton Lint . .	316	..	143,728	83,621	The whole State.
Cotton Waste	
MYSORE—					
Cotton Lint . .	784	925	5,649	7,740	The whole State.
Cotton Waste	2,258	1,074	
PUNJAB UNION—					
Cotton Lint . .	†	1,668**	163,148†	195,098**	The whole State
Cotton Waste	
RAJASTHAN*—					
Cotton Lint . .	†	..	101,243	68,673	The whole State.
Cotton Waste	
GUJARAT—					
Cotton Lint . .	10,135	7,004	109,361	55,042	The whole State.
Cotton Waste	
AJMER—					
Cotton Lint . .	30	37	15,109	7,120	The whole State.
Cotton Waste	282	2,805	2,003	
BHOPAL—					
Cotton Lint . .	343	..	12,703	6,239	The whole State.
Cotton Waste	
KANUNJ—					
Cotton Lint . .	526	..	5,354	383	The whole State.
Cotton Waste	

NOTE.—There are no Cotton Pressing Factories in Bihar, Orissa, Travancore-Cochin, Vindhya Pradesh, Bilaspur, Coorg, Delhi, Himachal Pradesh and Tripura.

† Data not yet received.

* Data upto w.e. 1-5-53 and also incomplete.

** Data taken from last year's returns.

(a) Includes 957 bales not reported before.

(b) „ 3,194 „ „ „ „

† Data upto w.e. 13-2-53.

(c) Data relate to 31 factories.

Weekly Cotton Press Returns—*conold.*

II.—Statement of Cotton pressed in Madras for the week ending the 8th May 1953

(Running Bales)

Variety of Cotton	NUMBER OF BALES PRESSED			
	During the week	During the correspond- ing week last year	Since 1st February, 1953	During the correspond- ing period last year
	2	3	4	5
1				
Tinnevelly	126	1,090	2,888	4,239
Nadam Bourbon and Uppam
Madras Cambodias	1,558	1,780	9,998	13,863
Madras Cambodia Uganda	554	138	5,591(a)	1,870
Karunganni	1,027	371	6,150(b)	2,872
White and Red Northern	590	169	4,971	2,075
Westerns	3,660	3,411	26,324(c)	22,613
Mungari	370	..
Warangal Cocanadas	461	202	4, 18(d)	1,227
Chinuspatti
TOTAL—				
Cotton Lint	7,976	7,161	60,010(e)	48,759
Cotton Waste	871	497	11,008	9,698

(a) Includes 70 bales not reported before.
(b) " 80 " " " "
(c) " 2,994 " " " "
(d) " 50 " " " "
(e) " 3,194 " " " "

DIRECTORATE OF ECONOMICS AND STATISTICS, }
NEW DELHI.

S. R. SEN,
Economic and Statistical Adviser,
Ministry of food and Agriculture.

Weekly Cotton Press Returns

I.—Statement of Cotton pressed in India for the week ending the 15th May, 1953

[Section 5(2) of the Cotton Ginning and Pressing Factories Act, 1925, as adapted by the Adaptation of Laws Order, 1950]

(Running Bales)

State and Division or Block	NUMBER OF BALES PRESSED				Districts included in the Division or Block†
	During the week 2	During the corresponding week last year 3	Since 1st September 1952 4	During the corresponding period last year 5	
ASSAM—					
Cotton Lint	355	5,010	4,908	The whole State.
Cotton Waste	192	1,437	1,468	
BOMBAY—					
1. Gujarat	13,195	9,485	507,196	332,530	Ahmedabad, Kaira, Broach, Panch Mahals and Surat.
2. North Deccan	23	702	135,682	148,793	
3. East Deccan	2,885	3,598	40,951	49,515	West Khandesh, East Khandesh and Nasik.
4. West Deccan and Southern Mahratta Country. . .	6,813	9,754	81,960	71,737	
					Poona, Satara, Ratnagiri, Belgaum, Dhulewar and Kanara.
TOTAL BOMBAY*—					
Cotton Lint	22,896	23,539	705,739	602,575	
Cotton Waste	1,104	1,430	46,518	47,047**	
MADHYA PRADESH—					
1. Jubbulpore	Jubbulpore, Saugor and Damoh.
2. Nerbudda	17,608	10,314	Narsinghpur, Hoshangabad.
3. Nimar	264	49,181	55,627	Nimar.
4. Nagpur	479	2,012	100,600	104,507	Nagpur, Ohanda, Wardha, Balaghat and Bhandara.
5. Satpura	69	1,644	1,595	Chhindwara, Batul, Mandla and Seoni.
6. Chattisgarh	Drug, Raipur and Bilaspur
7. Berar	2,704	26,659	534,437(a)	643,934	Akola, Amraoti, Buldana and Yeotmal.
TOTAL MADHYA PRADESH—					
Cotton Lint	3,183	29,004	703,530(a)	815,977	
Cotton Waste	14	..	3,848	2,113	
MADRAS†—					
Cotton Lint	6,774	7,346	114,738(b)	110,469	The whole State.
Cotton Waste	856	631	36,155	27,099	
PUNJAB—					
1. Ambala	185	600	45,184	42,507	Hissar, Rohtak, Gurgaon, Karnal and Ambala.
2. Jullundur	301	17,695	18,098	
3. Amritsar	165	56	26,764	18,455	
4. Ferozepore	1,128	150,130	140,848	
TOTAL PUNJAB—					
Cotton Lint	350	2,085	239,773	219,908	
Cotton Waste	76	58	

*Excludes the Konkan and the Port Block (Thana, Kolba and the Island of Bombay) where Cotton pressed is mainly repressed Cotton or Cotton Waste. The figures for this Block are as under:—

Cotton Lint	1,952	2,744	68,635	69,716
Cotton Waste

† For details by varieties in the State see Statement II.

Weekly Cotton Press Returns—*contd.*i—Statement of Cotton pressed in India for the week ending the 15th May, 1953—*contd.*

(Running Bales)

State and Division or Block 1	NUMBER OF BALES PRESSED				Districts included in the Division or Block 6
	During the week 2	During the corresponding week last year 3	Since 1st September 1952 4	During the corresponding period last year 5	
UTTAR PRADESH—					
1. Upper Doab	811	177	Dehra Dun, Saharanpur, Meerut, Bulandshahr, Aligarh and Muzaffarnagar.
2. Middle Doab	1,740	730	Mathura, Farrukhabad, Etah, Agra, Mainpuri and Etawah.
3. Lower Doab and Bundelkhand.	34	..	Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur and Banda.
4. Rohilkhand	Hardoi, Shahjahanpur, Bareilly, Moradabad, Budann, Bijnor, Pillibhit, Nainital, Almora and Garhwal.
5. Rest of the State	Mirzapur, Banaras, Jaunpur, Ghazipur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri, Sitapur, Unao, Lucknow, Barabanki, Rai Bareilly, Sultanpur, Fyzabad and Partabgarh.
TOTAL U.P.—					
Cotton Lint	2,585	907	
Cotton Waste	507	23**	6,531	7,041**	
WEST BENGAL—					
Cotton Lint	519	215	6,145	807	The whole State.
Cotton Waste	101	20	6,718	969	
HYDERABAD—					
Cotton Lint	1,312	8,295	265,412	366,444	The whole State.
Cotton Waste	103	..	1,429	..	
MADHYA BHARAT(c)—					
Cotton Lint	230	..	143,964	83,621	The whole State.
Cotton Waste	
MYSORE—					
Cotton Lint	395	1,094	6,044	8,884	The whole State.
Cotton Waste	2,258	1,074	
PEPS UNION—					
Cotton Lint	†	2,531**	103,148§	198,008**	The whole State.
Cotton Waste	
RAJASTHAN*—					
Cotton Lint	†	..	101,243	68,679	The whole State.
Cotton Waste	
SAURASHTRA—					
Cotton Lint	7,685	6,310	117,046	61,932	The whole State.
Cotton Waste	
AJMER—					
Cotton Lint	7	143	15,116	7,263	The whole State.
Cotton Waste	2,805	2,003**	
BHOPAL—					
Cotton Lint	352	..	13,055	6,239	The whole State.
Cotton Waste	
KUTCH—					
Cotton Lint	205	..	5,559	383	The whole State.
Cotton Waste	

NOTE.—There are no Cotton Pressing Factories in Bihar, Orissa, Travancore-Cochin, Vindhya Pradesh, Bilaspur, Coorg, Daltol, Fumachal Pradesh and Tripura.

* Data upto w. e. 1-5-53 & also incomplete.

† Data not yet received.

§ Data upto w/e 13-2-1953.

** Data taken from the last year's returns.

(a) Includes 320 bales not reported before.

(b) ,, 3,448 ,, ,, ,, ,,

(c) Data relate to 31 factories.

Weekly Cotton Press Returns—concl^d.

II.—Statement of Cotton pressed in Madras for the week ending the 15th May, 1953

(Running Bales)

Variety of Cotton 1	NUMBER OF BALES PRESSED			During the correspond- ing period last year 5
	During the week 2	During the corresponding week last year 3	Since 1st February 1953 4	
Tinnevelles	116	1,149	2,504	5,388
Nadam Bourbon and Uppan
Cambodias	1,625	1,350	11,739(a)	15,213
Uganda	261	170	5,902(b)	2,040
Karunganni	1,070	362	7,303(c)	3,234
Northerns	25	589	5,443(d)	2,664
Westerns	3,073	3,490	32,156(e)	26,103
Mungari	370	..
Cocanadas	595	236	4,813	1,463
TOTAL—				
Cotton Lint	6,774	7,346	70,230(f)	56,105
Cotton Waste	856	631	11,926	10,319

(a) Includes 115 bales not reported before.

(b) „ 50 „ „ „ „

(c) „ 74 „ „ „ „

(d) „ 447 „ „ „ „

(e) „ 2,759 „ „ „ „

(f) „ 3,446 „ „ „ „

DIRECTORATE OF ECONOMICS AND STATISTICS, }
NEW DELHI. }

S. R. SEN,
Economic and Statistical Adviser,
Ministry of Food and Agriculture.

Weekly Cotton Press Returns

I.—Statement of Cotton pressed in India for the week ending the 22nd May, 1953

[Section 3 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adapted by the Adaptation of Laws Order, 1950.]

(Running Bales)

State and Division or Block	NUMBER OF BALES PRESSED				Districts included in the Division or Block
	During the week	During the corresponding week last year	Since 1st September 1952	During the corresponding period last year	
1	2	3	4	5	6
ASSAM—					
Cotton Lint	204	5,010	5,112	The whole State.
Cotton Waste	140	1,437	1,608	
BOMBAY—					
1. Gujarat . . .	4,154	9,224	511,350	341,754	Ahmedabad, Kaira, Broach, Panch Mahals and Surat.
2. North Deccan	884	135,682	149,677	West Khandesh, East Khandesh and Nasik.
3. East Deccan . . .	2,669	3,357	43,020	52,872	Ahmednagar, Sholapur and Bijapur.
4. West Deccan and Southern Mahratta Country .	5,385	10,160	87,345	1,1897	Poona, Satara, Ratnagiri, Belgaum, Dharwar and Kanara.
TOTAL BOMBAY*—					
Cotton Lint . . .	12,208	23,625	777,997	626,200	
Cotton Waste . . .	1,269	1,240**	47,787	48,893**	
MADHYA PRADESH—					
1. Jubbulpore	Jubbulpore, Saugor and Damoh.
2. Nerbudda	17,608	10,314	Narsinghpur, Hoshangabad.
3. Nimar	284	49,181	55,911	Nimar.
4. Nagpur . . .	604	2,939	101,264	107,446	Nagpur, Chanda, Wardha, Balaghat and Bhandara.
5. Satpura	121	1,644	1,716	Chhindwara, Betul, Mandla and Seoni.
6. Chhattisgarh	Drug, Raipur and Bilaspur.
7. Berar . . .	2,508	27,396	536,945	671,330	Akola, Amraoti, Buldana and Yestma.
TOTAL MADHYA PRADESH —					
Cotton Lint . . .	3,112	30,740	706,642	846,717	
Cotton Waste . . .	117	381	3,965	2,404	
MORAR †—					
Cotton Lint . . .	4,634	8,314	120,167(a)	118,783	The whole State
Cotton Waste . . .	539	518	36,701(b)	27,617	
PUNJAB—					
1. Ambala . . .	102	526	45,286	43,033	Hissar, Rohtak, Gurgaon, Karnal and Ambala.
2. Jullundur	213	17,695	18,311	Hoshiarpur, Jullundur and Ludhiana.
3. Amritsar	50	26,704	18,505	Amritsar, Gurdaspur and Kangra.
4. Ferozepore	1,516	150,130	142,364	Ferozepore.
TOTAL PUNJAB—					
Cotton Lint . . .	102	2,305	239,875	222,213	
Cotton Waste	4	76	62	

* Excludes the Konkan and the Port Block (Thana, Kolba and the Island of Bombay) where Cotton Pressed is mainly repressed Cotton or Cotton waste. The figures for this Block are as under:—

Cotton Lint	1,026	3,299	69,661	73,015
Cotton Waste	—	—	—	..

† For details by varieties in this State see Statement II.

Weekly Cotton Press Returns—contd.

I.—Statement of Cotton pressed in India for the week ending the 22nd May, 1953—contd.

(Running Bales)

State and Division or Block	NUMBER OF BALES PRESSED				Districts included in the Division or Block
	During the week	During the corresponding week last year	Since 1st September 1952	During the corresponding period last year	
1	2	3	4	5	6
UTTAR PRADESH—					
1. Upper Doab	811	177	Dehra Dun, Saharanpur, Meerut, Bulandshahr, Aligarh and Muzaffarnagar.
2. Middle Doab	1,740	730	Mathura, Farrukhabad, Etah, Agra, Mainpuri and Etawah.
3. Lower Doab and Bundelkhand	34	..	Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur and Banda.
4. Rohilkhand	Hardoi, Shahjahanpur, Bareilly, Moradabad, Budaun, Bijnor, Pillibhit, Nainital, Almora and Garhwal.
5. Rest of the State	Mirzapur, Banaras, Jaunpur, Ghazipur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri, Sitapur, Unao, Lucknow, Barabanki, Rai Bareilly, Sultanpur, Fyzabad and Partabgarh.
TOTAL U.P.—					
Cotton Lint	2,585	907	
Cotton Waste . . .	111	150†	6,642	7,191†	
WEST BENGAL—					
Cotton Lint . . .	356	429	6,501	3,236	The whole State.
Cotton Waste . . .	213	42	6,931	1,011	
HYDERABAD—					
Cotton Lint . . .	2,431	7,126	267,847	403,570	The whole State.
Cotton Waste	1,429	..	
MADHYA BHARAT—					
Cotton Lint	143,964	83,621	The whole State.
Cotton Waste	
MYSORE—					
Cotton Lint . . .	272	738	6,316	9,572	The whole State
Cotton Waste . . .	24	..	2,282	1,074	
PEPS UNION—					
Cotton Lint . . .	@	4,617†	163,148**	202,620†	The whole State.
Cotton Waste	
RAJASTHAN*—					
Cotton Lint . . .	@	..	101,243	68,673	The whole State.
Cotton Waste	
SAURASHTRA—					
Cotton Lint . . .	12,052	6,960	129,098	68,912	The whole State.
Cotton Waste	
AJMER—					
Cotton Lint	130	15,116	7,393	The whole State.
Cotton Waste	195†	2,805	2,168†	
BHOPAL—					
Cotton Lint . . .	422	..	13,477	6,239	The whole State.
Cotton Waste	
KUTCH—					
Cotton Lint . . .	555	97	6,114	480	The whole State.
Cotton Waste	

NOTE—There are no Cotton Pressing Factories in Bihar, Orissa, Travancore-Cochin, Vindhya Pradesh, Bilaspur, Coorg, Delhi, Himachal Pradesh and Tripura.

* Data upto w. e. 1-5-53 and also incomplete.

† Data taken from last year's returns.

** Data upto w.e. 13-2-53.

@ Data not yet received.

(a) Includes 795 bales not reported before.

(b) " 6 " " " "

Weekly Cotton Press Returns—*concl'd.*

II.—Statement of Cotton pressed in Madras for the week ending the 22nd May, 1953

(Running Bales)

Variety of Cotton 1	NUMBER OF BALES PRESSED			During the correspond- ing period last year 5
	During the week 2	During the correspond- ing week last year 3	Since 1st February, 1953 4	
Tinnevellies	61	1,063	2,565	6,451
Nadam Bourbon & Uppam
Cambodias	1,699	1,389	13,438	16,602
Uganda	127	216	0,029	2,256
Narunganni	353	61	8,261(a)	3,295
Northerns	50	431	5,493	3,095
Westerns	1,693	4,526	33,849	30,623
Mungari	370	..
Coonadas	651	628	5,654(b)	2,091
TOTAL—				
Cotton Lint	4,634	8,314	75,659(c)	64,419
Cotton Waste	539	518	12,471(d)	10,837

(a) Includes 605 bales not reported before.

(b) .. 190 .. " " "

(c) .. 795 .. " " "

(d) .. 0 .. " " "

DIRECTORATE OF ECONOMICS AND STATISTICS,
NEW DELHI

S. R. SEN,
Economic and Statistical Adviser,
Ministry of Food and Agriculture.

